



TERRA TRAC® A/T

MADE FOR EVERY MILE



TERRA TRAC® A/T
PREMIUM ALL TERRAIN | ALL-SEASON
LIGHT TRUCK, SUV & CUV



One Tire. Every Road.

Whether it's the highway commute, the gravel backroad, or the climb up to the campsite, Hercules Terra Trac® A/T handles all of it without making you choose. It's capable off the pavement and stays comfortable and quiet on it, so it fits your drive no matter the destination.

HerculesTire.com     

BY THE NUMBERS

- ◆ Number of Sizes: 47
- ◆ Diameters: 15" to 22"
- ◆ UTQG: 600 A B
- ◆ 60,000 mile warranty



3 PEAK MOUNTAIN
SNOWFLAKE RATED



MILEAGE
COVERAGE PLAN



ROAD
HAZARD



WORKMANSHIP
& MATERIALS



45 DAY
TRIAL

HERCULES TERRA TRAC® A/T

Features and Benefits

1

INTERLOCKING ALL-TERRAIN TREAD BLOCKS



Interlocking tread blocks help control block movement to support stable, responsive handling on pavement while providing biting edges for traction on dirt, gravel and other loose surfaces.

2

AGGRESSIVE STAGGERED FULL SHOULDER LUGS



Staggered shoulder lugs provide additional traction in mud and loose terrain while helping protect the shoulder and upper sidewall from off-road abrasion.

3

OPTIMIZED CENTER LUGS AND TREAD-PITCH SEQUENCE



Provides enhanced on-road stability and handling while delivering a quieter, more comfortable highway ride.

4


FULL-DEPTH SIPING



Creates multiple biting edges that help enhance wet and snow traction, with sipes extending through the usable tread depth so the biting-edge feature remains present as the tread wears.



3 PEAK MOUNTAIN
SNOWFLAKE RATED





HERCULES TERRA TRAC® A/T



3 PEAK MOUNTAIN
SNOWFLAKE RATED

ITEM #	TIRE SIZE	SERVICE DESCRIPTION (ISO)	LOAD RANGE	SIDEWALL	MIN. RIM WIDTH (IN)	MAX. RIM WIDTH (IN)	SINGLE MAX LOAD (LBS)	DUAL MAX LOAD (LBS)	MAX PSI	OVERALL DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32NDS)	WEIGHT (LBS)	UTQG	
SEPTEMBER 2026	TERRA TRAC® A/T														
	99160	LT245/75R16	120/116S	E	BW	6.5	8	3042@80	2778@80	80	30.47	9.76	16.5	48.9	-
	99161	LT265/75R16	123/120S	E	BW	7	9	3415@80	3085@80	80	31.65	10.51	16.5	54.2	-
	99143	265/70R17	115T	SL	BW	7	9	2679@44	-	44	31.65	10.71	14	41.0	600-A-B
	99163	LT235/80R17	120/117R	E	BW	6	8	3085@80	2835@80	80	31.81	9.25	16.5	48.7	-
	99165	LT245/75R17	121/118S	E	BW	6.5	8	3195@80	2910@80	80	31.5	9.76	16.5	46.3	-
	99166	LT265/70R17	123/120S	E	BW	7	9	3415@80	3085@80	80	31.65	10.71	16.5	48.3	-
	99167.1	LT285/70R17	126/123S	E	BW	7.5	9.5	3750@80	3415@80	80	32.76	11.5	16.5	52.9	-
	99168	LT315/70R17	121/118T	E	BW	8	10.5	3195@50	2910@50	50	34.41	12.72	16.5	68.1	-
	99171	LT275/65R18	123/120S	E	BW	8	9.5	3415@80	3085@80	80	32.09	10.98	16.5	51.6	-
	99172	LT275/70R18	125/122S	E	BW	7	9	3640@80	3305@80	80	33.19	10.98	16.5	47.0	-
	99151	275/55R20	117H	XL	BW	7.5	9.5	2833@50	-	50	33.9	11.18	14	43.7	600-A-B
	99152	275/60R20	115H	SL	BW	7.5	9.5	2679@44	-	44	32.99	10.98	14	44.5	600-A-B
	99175	LT275/55R20	120/117T	E	BW	8	9.5	3085@80	2835@80	80	31.89	11.18	16.5	54.0	-
	99176	LT275/60R20	123/120S	E	BW	8	9.5	3415@80	3085@80	80	32.99	10.98	16.5	56.0	-
99177	LT275/65R20	126/123S	E	BW	8	9.5	3750@80	3415@80	80	34.09	10.98	16.5	56.2	-	
Q4 2026	99133	235/75R15	109T	XL	BW	6	8	2271@50	-	50	28.86	9.25	14	35.3	600-A-B
	99134	245/75R16	111T	SL	BW	6.5	8	2403@44	-	44	30.47	9.76	14	41.0	600-A-B
	99135	265/70R16	112T	SL	BW	7	9	2469@44	-	44	30.63	10.71	14	42.3	600-A-B
	99136	265/75R16	116T	SL	BW	7	9	2756@44	-	44	31.65	10.51	14	43.9	600-A-B
	99158	LT225/75R16	115/112S	E	BW	6	7.5	2680@80	2470@80	80	29.29	8.78	16.5	43.2	-
	99162	LT285/75R16	126/123R	E	BW	7.5	9.5	3750@80	3415@80	80	32.83	11.26	16.5	59.5	-
	99137	225/65R17	102H	SL	BW	6	8	1874@44	-	44	28.5	8.98	14	34.0	600-A-B
	99138	245/65R17	111T	XL	BW	7	8.5	2403@50	-	50	29.53	9.76	14	37.7	600-A-B
	99140.1	255/70R17	112T	SL	BW	6.5	8.5	2469@44	-	44	31.1	10.24	14	41.4	600-A-B
	99142.1	265/65R17	112T	SL	BW	7.5	9.5	2469@44	-	44	30.55	10.71	14	42.1	600-A-B
	99164	LT245/70R17	119/116S	E	BW	6.5	8	3000@80	2755@80	80	30.55	9.76	16.5	48.1	-
	99144	P285/70R17	117T	SL	BW	7.5	9.5	2833@44	-	44	32.76	11.5	14	47.6	600-A-B
	99145	245/60R18	105H	SL	BW	7	8.5	2039@44	-	44	29.57	9.76	14	37.3	600-A-B
	99146	255/70R18	113T	SL	BW	6.5	8.5	2535@44	-	44	32.09	10.24	14	42.5	600-A-B
	99147.1	265/60R18	110T	SL	BW	7.5	9.5	2337@44	-	44	30.51	10.71	14	41.7	600-A-B
	99148	265/65R18	114T	SL	BW	7.5	9.5	2601@44	-	44	31.54	10.71	14	43.7	600-A-B
	99149	275/65R18	116T	SL	BW	7.5	9.5	2756@44	-	44	32.09	10.98	14	43.2	600-A-B
	99155	35X12.50R18LT	128R	F	BW	8.5	11	3970@80	-	80	34.52	12.5	19	69.2	-
	99170	LT265/70R18	124/121S	E	BW	7	9	3525@80	3195@80	80	32.64	10.71	16.5	55.6	-
	99150	265/50R20	111T	XL	BW	7.5	9.5	2403@50	-	50	30.47	10.91	14	40.1	600-A-B
	99156	35X12.50R20LT	125R	F	BW	8.5	11	3640@80	-	80	34.52	12.5	19	62.4	-
99174	LT265/60R20	121/118S	E	BW	8	9.5	3195@80	2910@80	80	32.52	10.71	16.5	54.7	-	
99178	LT285/60R20	125/122S	E	BW	8.5	10	3640@80	3305@80	80	33.46	11.5	16.5	59.7	-	
99153	285/45R22	114H	XL	BW	9	10.5	2601@50	-	50	32.09	11.22	14	42.3	600-A-B	
Q1 2027	99154	31X10.50R15LT	109S	C	BW	7	9	2270@50	-	50	30.52	10.54	19	41.7	-
	99157	LT235/75R15	104/101S	C	BW	6	8	1985@50	1820@50	50	28.86	9.25	16.5	28.9	-
	99159.1	LT235/85R16	120/116S	E	BW	6	7.5	3042@80	2778@80	80	31.73	9.25	16.5	44.5	-
	99139	255/65R17	110T	SL	BW	7	9	2337@44	-	44	30.08	10.24	14	37.0	600-A-B
	99141.1	255/75R17	115T	SL	BW	6.5	8.5	2679@44	-	44	32.05	10.04	14	35.0	600-A-B
	99169	LT265/65R18	122/119S	E	BW	8	9.5	3305@80	3000@80	80	31.54	10.71	16.5	40.0	-
	99173	LT285/65R18	125/122S	E	BW	8.5	10	3640@80	3305@80	80	32.56	11.5	16.5	58.6	-
	99179	LT305/55R20	125/122S	F	BW	9	11	3640@80	3305@80	80	33.23	12.44	16.5	51.0	-